

1. (currently amended) A single-handle internal defibrillator for applying defibrillation electrodes

Deleted: cordless

directly to the heart in an open heart procedure, comprising:

a pair of paddles that includes a pair of electrodes respectively connected to first-end portions of the pair

Deleted: (105)

Deleted: a

of paddles;

the pair of paddles coupled to a single-handle, with at least one paddle of the pair of paddles being adjustable in position with respect to the other paddle;

Deleted: having a second end portion in communication with

an adjustment mechanism, coupled to the single handle and to at least one of the paddles for adjusting the position of the electrode of at least one paddle with respect to the position of the electrode of the other paddle so that a distance between the electrodes is variable; and

Deleted: pivotable about a pivot arranged between the at least one paddle and the single-handle

Deleted: a regulator arm in communication with the pivot

Deleted: pivot

Deleted: about the pivot

Deleted: by moving the regulator arm

Deleted: arranged completely within

defibrillator circuitry coupled to the electrodes of the pair of paddles of the single-handle.

2. (currently amended) The defibrillator according to claim 1, further comprising:

Deleted: regulator arm

a locking mechanism or spring that retains the position of at least one electrode at a desired position so as to maintain a desired distance between the electrodes.

3. (currently amended) The defibrillator according to claim 1, wherein the defibrillator circuitry includes

Deleted: plurality of

a power supply.

4. (original) The defibrillator according to claim 1, wherein the defibrillator circuitry includes an energy

storage unit.

5. (original) The defibrillator according to claim 1, wherein the defibrillator circuitry includes a control circuit.

6. (canceled)

7. (original) The defibrillator according to claim 1, further comprising a discharge switch that is arranged at least partly within the single-handle.

8. (original) The defibrillator according to claim 5, further comprising a discharge switch that communicates with the control circuit to initially request a shock to a patient.

9. (original) The defibrillator according to claim 1, further comprising a control switch that is adapted for a user to vary the amount, duration, and type of electrical impulse applied to a patient.

10. (canceled)

11. (currently amended) The defibrillator according to claim 1, wherein at least some of a plurality of components of the internal defibrillator are disposable after being used on a single patient, and a maximum energy applied for internal defibrillation comprises less than 50 Joules. Deleted: 0

12. - 20. (canceled)

21. (currently amended) A method of providing a single-handle defibrillator which applied defibrillation electrodes directly to the heart, comprising the steps of: Deleted: cordless

(a) attaching a pair of electrodes respectively to a first-end portions of a pair of paddles; Deleted: the

(b) connecting the pair of paddles to a single handle, with at least one paddle of the pair of paddles being movable with respect to the other paddle and the single handle; and, Deleted: a second-end portion of

(c) providing an adjustment mechanism to adjust the position of the electrode of at least one paddle with respect to the other electrode so that a distance between the electrodes is variable; and, Deleted: about a pivot arranged between

Deleted: one

Deleted: a regulator arm

Deleted: pivot

Deleted: about the pivot

Deleted: by moving the regulator arm

(d) arranging defibrillator circuitry to be electrically coupled to the electrodes of the paddles of the single handle.

Deleted: completely within

22. (currently amended) The method according to claim 21, further comprising (e) providing a locking mechanism to keep the adjustment mechanism fixed at a desired position so as to lock-in a desired distance between the electrodes

Deleted: regulator arm

23. - 25. (canceled)